

after PEG precipitation is resuspended in 10 mL of buffer C, and then subjected to centrifugation for 10 min at 10,000g. The first supernatant is collected, and the pellet is washed again with 10 mL of buffer C. After centrifugation the supernatants are pooled and subjected to high-speed centrifugation for 2 h at 160,000g in a Beckman 60 Ti rotor. The final virus pellet is then resuspended in 3 mL of buffer C and loaded onto the sucrose gradients (*see Subheading 3.2., step 4*).

4. The method we present for gel analysis of the viral RNA can be substituted by any other molecular biology technique of nucleic acid analysis described by Sambrook et al. (23).

References

1. Martelli, G. P., Candresse, T., and Namba, S. (1994) Trichovirus, a new genus of plant viruses, *Arch. Virol.* **134**, 451–455.
2. Lister, R. M. (1970) Apple chlorotic leaf spot virus. Commonwealth Mycological Institute/Association of Applied Biologists, Description of plant viruses, n° 30.
3. Salazar, L. F. and Harrison, B. D. (1978) Potato virus T. Commonwealth Mycological Institute/Association of Applied Biologists, Description of plant viruses, n° 187.
4. Bem, F. and Murant, A. F. (1979) Host range, purification and serological properties of heracleum latent virus. *Ann. Appl. Biol.* **92**, 243–256.
5. Conti, M., Milne, R. G., Luisoni, E., and Boccardo, G. (1980) A closterovirus from a stem-pitting diseased grapevine. *Phytopathology* **70**, 394–399.
6. Boscia, D., Savino, V., Minafra, A., Namba, S., Elicio, V., Castellano, M. A., Gonsalves, D., and Martelli, G. P. (1993) Properties of a filamentous virus isolated from grapevines affected by corky bark. *Arch. Virol.* **130**, 109–120.
7. Bar-Joseph, M. and Murant, A. F. (1979) Closterovirus group. Commonwealth Mycological Institute/Association of Applied Biologists, Description of plant viruses, n° 260.
8. German, S., Candresse, T., Lanneau, M., Huet, J. C., Pernollet, J. C., and Dunez, J. (1990) Nucleotide sequence and genomic organization of apple chlorotic leaf spot closterovirus. *Virology* **179**, 104–112.
9. German, S., Candresse, T., Le Gall, O., Lanneau, M., and Dunez, J. (1992) Analysis of dsRNAs of apple chlorotic leaf spot virus. *J. Gen. Virol.* **73**, 767–773.
10. Agranovsky, A. A., Koonin, E. V., Boyko, V. P., Maiss, E., Frotschl, R., Lunina, N. A., and Atabekov, J. G. (1994) Beet Yellows Closterovirus: complete genome structure and identification of a leader papain-like thiol protease. *Virology* **198**, 311–324.
11. Pappu, H. R., Karasev, A. V., Anderson, E. J., Pappu, S. S., Hilf, M. E., Febres, V. J., Eckloff, R. M. G., McCaffery, M., Boyko, V., Gowda, S., Dolja, V. V., Koonin, E. V., Gumpf, D. J., Cline, K. C., Garnsey, S. M., Dawson, W. O., Lee, R. F., and Niblett, C. L. (1994). Nucleotide sequence and organization of eight 3' open reading frames of the Citrus Tristeza closterovirus genome. *Virology* **199**, 35–46.
12. Sato, K., Yoshikawa, N., and Takahashi, T. (1993) Complete nucleotide sequence of the genome of an apple isolate of apple chlorotic leaf spot virus. *J. Gen. Virol.* **74**, 1927–1931.